

|   | Type | Hits | Search Text   | DBs  | Time Stamp          | Comments | Error<br>Definiti<br>on |
|---|------|------|---|--|---------------------|----------|-------------------------|
| 1 | BRS  | 273  | layer\$2 with board and<br>conduct\$3 with trace with<br>via                | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:06 |          |                         |
| 2 | BRS  | 9    | layer\$2 with board and<br>conduct\$3 with trace with<br>via with resist\$4 | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:08 |          |                         |
| 3 | BRS  | 9    | 5953213.uref. and layer\$2  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:51 |          |                         |
| 4 | BRS  | 3609 | 257/686,93,700,734.ccls.  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:04 |          |                         |
| 5 | BRS  | 3491 | 174/52.1,52.4.ccls.   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:50 |          |                         |
| 6 | BRS  | 228  | 439/69.ccls.  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:50 |          |                         |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments | Error<br>Definiti<br>on |
|----|------|------|--|--|---------------------|----------|-------------------------|
| 7  | BRS  | 2112 | 702/57,60,62,64,65,133,for<br>.103,for.104,for.106,for.1<br>11,for.157,for.155.ccls.   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:57 |          |                         |
| 8  | BRS  | 4045 | 361/760-767,791,792,794,79<br>5.ccls.  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:04 |          |                         |
| 9  | BRS  | 9679 | 257/202,207,208,209,210,21<br>1,212,773,774,776,686,93,7<br>00,734.ccls.   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:05 |          |                         |
| 10 | BRS  | 71   | layer\$2 and sheet\$1 with<br>foil and conduct\$3 with<br>trace\$1 with via\$1   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:26 |          |                         |
| 11 | BRS  | 13   | layers with resist\$4 and<br>(plane\$1 or (sheet\$1 adj<br>foil)) and signal with<br>conduct\$3 with trace\$1<br>with via\$1 | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:03 |          |                         |
| 12 | BRS  | 4467 | 361/760-767,791,792,794,79<br>5.ccls.  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:05 |          |                         |

|    | Type | Hits  | Search Text  | DBs  | Time Stamp          | Comments | Error Definition |
|----|------|-------|--|--|---------------------|----------|------------------|
| 13 | BRS  | 10717 | 257/202,207,208,209,210,211<br>1,212,773,774,776,686,93,7<br>00,734.ccls.  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:22 |          |                  |
| 14 | BRS  | 5791  | 716/1-18.ccls.   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:04 |          |                  |
| 15 | BRS  | 1     | signal with conduct\$3 with<br>trace\$1 with via\$1 with<br>tamper with resist\$4  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:05 |          |                  |
| 16 | BRS  | 19    | layers with resist\$4 and<br>(plane\$1 or (sheet\$1 adj<br>foil)) and signal with<br>conduct\$3 with trace\$1<br>with via\$1 | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:06 |          |                  |
| 17 | BRS  | 12    | layer\$2 with board and<br>conduct\$3 with trace with<br>via with resist\$4  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:21 |          |                  |
| 18 | BRS  | 79    | layer\$2 and sheet\$1 with<br>foil and conduct\$3 with<br>trace\$1 with via\$1   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:21 |          |                  |

|    | Type | Hits  | Search Text  | DBs  | Time Stamp          | Comments | Error Definition |
|----|------|-------|--|--|---------------------|----------|------------------|
| 19 | BRS  | 2     | "20030033108"  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/08<br>10:01 |          |                  |
| 20 | IS&R | 2     | ("5956415").PN.  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/08<br>10:01 |          |                  |
| 21 | BRS  | 2411  | 702/57,60,62,64,65,133,for<br>.103,for.104,for.106,for.1<br>11,for.157,for.155.ccls. | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:03 |          |                  |
| 22 | BRS  | 6217  | 716/1-18.ccls.   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:04 |          |                  |
| 23 | BRS  | 4584  | 361/760-767,791,792,794,79<br>5.ccls.  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:05 |          |                  |
| 24 | BRS  | 11150 | 257/202,207,208,209,210,21<br>1,212,773,774,776,686,93,7<br>00,734.ccls.             | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:05 |          |                  |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments | Error Definition |
|----|------|------|--|--|---------------------|----------|------------------|
| 25 | BRS  | 380  | layer\$2 with board and conduct\$3 with trace with via   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:07 |          |                  |
| 26 | BRS  | 12   | layer\$2 with board and conduct\$3 with trace with via with resist\$4  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/23<br>17:08 |          |                  |
| 27 | BRS  | 87   | layer\$2 and sheet\$1 with foil and conduct\$3 with trace\$1 with via\$1   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:26 |          |                  |
| 28 | BRS  | 1    | (tamper-resist\$4 or (tamper adj1 resist\$4)) with (multi-layer\$1 or multilayer\$1 or layers) with board\$1 with encrypt\$3 | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:30 |          |                  |
| 29 | BRS  | 1    | (tamper-resist\$4 or (tamper adj1 resist\$4)) with encrypt\$3 and (multi-layer\$1 or multilayer\$1 or layers) with board\$1  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:31 |          |                  |

|    | Type | Hits | Search Text   | DBs   | Time Stamp          | Comments | Error Definition |
|----|------|------|---|---|---------------------|----------|------------------|
| 30 | BRS  | 3    | (tamper-resist\$4 or (tamper adj1 resist\$4)) same encrypt\$3 and (multi-layer\$1 or multilayer\$1 or layers) with board\$1   | USPAT;<br>US-PGPUB; EPO; 2004/09/24<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:32 |          |                  |
| 31 | BRS  | 5    | (tamper-resist\$4 or (tamper adj1 resist\$4)) and encrypt\$3 and rece\$5 with decrypt\$3 and (multi-layer\$1 or multilayer\$1 or layers) with board\$1                    | USPAT;<br>US-PGPUB; EPO; 2004/09/24<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:34 |          |                  |
| 32 | BRS  | 58   | (tamper-resist\$4 or (tamper adj1 resist\$4)) with secur\$3 and conduct\$3 with (decrypt\$3 or encrypt\$3)  | USPAT;<br>US-PGPUB; EPO; 2004/09/24<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:38 |          |                  |
| 33 | BRS  | 2    | (tamper-resist\$4 or (tamper adj1 resist\$4)) with secur\$3 and conduct\$3 with (decrypt\$3 or encrypt\$3) with interface   | USPAT;<br>US-PGPUB; EPO; 2004/09/24<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:37 |          |                  |
| 34 | BRS  | 0    | (tamper-resist\$4 or (tamper adj1 resist\$4)) with secur\$3 and conduct\$3 with (decrypt\$3 or encrypt\$3) with (multi-layer\$1 or multilayer\$1 or layers) with board\$1 | USPAT;<br>US-PGPUB; EPO; 2004/09/24<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:38 |          |                  |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments | Error Definition |
|----|------|------|--|--|---------------------|----------|------------------|
| 35 | BRS  | 0    | (tamper-resist\$4 or (tamper adj1 resist\$4)) with secur\$3 and conduct\$3 with (decrypt\$3 or encrypt\$3) and (multi-layer\$1 or multilayer\$1 or layers) with board\$1 | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:39 |          |                  |
| 36 | BRS  | 2    | (tamper-resist\$4 or (tamper adj1 resist\$4)) with secur\$3 and conduct\$3 with interface with (decrypt\$3 or encrypt\$3)  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:39 |          |                  |
| 37 | BRS  | 3677 | 174/52.1,52.4.ccls.  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:50 |          |                  |
| 38 | BRS  | 237  | 439/69.ccls.   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:50 |          |                  |
| 39 | BRS  | 13   | 5953213.uref. and layer\$2   | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:51 |          |                  |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments | Error<br>Definiti<br>on |
|----|------|------|--|--|---------------------|----------|-------------------------|
| 40 | BRS  | 2585 | 702/57,60,62,64,65,119,133<br>,for.103,for.104,for.106,f<br>or.111,for.157,for.155.ccl<br>s.                                 | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>09:59 |          |                         |
| 41 | BRS  | 249  | 713/194.ccls.  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:00 |          |                         |
| 42 | BRS  | 2709 | 713/194,200.ccls.  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:00 |          |                         |
| 43 | BRS  | 19   | layers with resist\$4 and<br>(plane\$1 or (sheet\$1 adj<br>foil)) and signal with<br>conduct\$3 with trace\$1<br>with via\$1 | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:04 |          |                         |
| 44 | BRS  | 1    | signal with conduct\$3 with<br>trace\$1 with via\$1 with<br>tamper with resist\$4  | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:06 |          |                         |
| 45 | BRS  | 19   | layers with resist\$4 and<br>(plane\$1 or (sheet\$1 adj<br>foil)) and signal with<br>conduct\$3 with trace\$1<br>with via\$1 | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:06 |          |                         |



|    | Type | Hits  | Search Text  | DBs  | Time Stamp          | Comments | Error<br>Definiti<br>on |
|----|------|-------|--|--|---------------------|----------|-------------------------|
| 46 | BRS  | 87    | layer\$2 and sheet\$1 with<br>foil and conduct\$3 with<br>trace\$1 with via\$1 | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:21 |          |                         |
| 47 | BRS  | 12    | layer\$2 with board and<br>conduct\$3 with trace with<br>via with resist\$4    | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:21 |          |                         |
| 48 | BRS  | 11150 | 257/202,207,208,209,210,21<br>1,212,773,774,776,686,93,7<br>00,734.ccls.       | USPAT;<br>US-PGPUB; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2004/09/24<br>10:22 |          |                         |